

Academic Data Warehouse

Agile Analytics in Higher Education

Alliance 2012

Session: 30767

March 20, 1:15 PM



Ashley Silverburg

Chief Data Architect

Robert Silcher

Director Business Intelligence

Yiorgos Marathias

President





- Started in Higher Education
- At PeopleSoft 1997-2005
 - Built First Reporting Solutions for PS Higher Ed
- Phytorion established Jan. 2005
 - Pre-Packaged Data Warehouses/BI
 - Hybrid Data Warehouses/BI
 - Fully Custom Data Warehouses/BI





We Offer Data Warehouses/BI for:

- ✓ Campus Solutions
- ✓ Human Capital Management
- ✓ Finance
- ✓ Kuali Finance
- ✓ Legacy, Lawson, Spreadsheets, etc.



Customers include:

All Maine Public Universities

Loyola Univ. Chicago

Cornell University

Long Beach City College


Cerritos College

Maricopa College District

Harvard University University of Cambridge Los Rios Comm. College University of Manchester Waterbury K-12 District Iowa State University



Standard Waterfall Approach



Waterfall issues

- Failure rate range: 65% 86% (DM Review Oct. 2004)
- \blacktriangleright Hard to Scope and Price. For 95% Conf. Int. = Estimate x 4
- Communicating needs & Verifying design
- Significant time between Requirements and Release
 - Users lose interest, become skeptical
 - Needs may have changed
 - Users forget what they asked for
 - Users truly understand deliverable with BI release



Agile Manifesto

We are uncovering better ways of developing software by doing it and helping others do it. Through this work we have come to value:

Individuals and interactions over processes and tools Working software over comprehensive documentation Customer collaboration over contract negotiation Responding to change over following a plan

That is, while there is value in the items on the right, we value the items on the left more.

"Safety" on the right

PHYTORION

http://agilemanifesto.org/

Principles behind Agile

- Early and continuous delivery of working software
- Deliver software every 2-8 weeks. Time-box developmt
- Welcome changing requirements
- Business people and developers work together
- Maximize the work not done
- The best work emerges from self-organizing teams
- Reflect and tune



Agile Benefits

- 82% Greater Productivity
- ➢ 77% Higher Quality
- 78% Higher Customer Satisfaction
- ➢ 37% Lower Cost



Team Composition

- Product Owner Primary role. Provides requirements and signs off on deliverables
- Scrum Master knows the process; keeps team on track. Not responsible for costs, resources, milestones.
- Architect
- Developers they are engaged from the beginning and assume ownership. Not just waiting for exact specs



Sprint: Duration 2-8 weeks

- Story driven: "As a <role>, I need the ability to <do something> so that I can <goal statement>"
- Story may be too large to complete: Epic or Theme
- Something of value that can be delivered
- Break it down to smaller parts that you can estimate and deliver



Examples

- As an Admissions Officer, I need to see weekly counts at all Admissions stages so I can track progress towards Admissions goals: EPIC
- I need to see weekly counts of Completed Applications for Undergraduate Admissions: USER STORY
- DEVELOPER STORIES:
 - I need to build one SCD 1 dimension
 - I need to build one fact



Estimate – traditional difficulties

- We are not good at estimating: 95% Conf Int. requires
 4x effort
- We estimate at project start when we know the least
- Errors add up over length of project
- We don't always account for "distractions"
- Estimates become project obligations



Estimate – Agile approach

- Assign story points to each story (not just Hi, Med, Low)
- Use numbering scheme:
 - > 1,2,4,8,16, (Doubling previous number) or
 - 1,2,3,5,8,13 (Fibonacci)
 - Story 1: 3 points
 - Story 2: 8 points
 - Story 3: 13 points
 - Story 4: 5 points
- I can deliver 14 points per sprint: Pick stories 1, 2, 4



Sprint breakdown

- Goal is to deliver production code
- Hold 15 minute stand up meetings each day progress report
- Create enough documentation to start coding. Update it at end of sprint and not with every change
- Test-led development. Think of outliers
- To assure quality for design and code, do walk through with another architect/coder
- Define "Done"



Design Document


			PROG_EFFDT, EFFSEQ = PROG_EFFSEQ, ACAD_PLAN = 'DEAN SCHLR')
ACADEMIC_LOAD	PS_STDNT_CAR_TERM	ACADEMIC_LOAD	EMPLID, ACAD_CAREER, INSTITUTION = 'UOD01', STRM = TERM
DERIVED_ACADEMIC_LOAD			<pre>{NOTE: FOR CODING, IGNORE COMMENTS IN BRACKETS - THESE ARE FOR CLARIFICATION ONLY} {ADMN CLASS }IF EXISTS (SELECT EMPLID FROM PS_STIDNT_ENRL WHERE PS_STIDNT_ENRL.STRM = ACADEMIC_TERM AND PS_STIDNT_ENRL.STRM = PS_CLASS_TBL.STRM AND PS_STIDNT_ENRL.CLASS_NBR = PS_CLASS_TBL.CLASS_NBR AND PS_CLASS_TEL.SUBJECT = 'ADMN') THEN 'F" ELSE {UNIV_CLASS} IF EXISTS (SELECT EMPLID FROM PS_STIDNT_ENRL WHERE PS_STIDNT_ENRL.STRM = ACADEMIC_TERM AND PS_STIDNT_ENRL WHERE PS_STIDNT_ENRL.STRM = ACADEMIC_TERM AND PS_STIDNT_ENRL WHERE PS_STIDNT_ENRL.STRM = ACADEMIC_TERM AND PS_STIDNT_ENRL ACAD_CAREER = ACAD_CAREER WHERE STIDNT_ENRL.STRM = PS_CLASS_TBL.CLASS_NBR AND PS_STIDNT_ENRL.CLASS_NBR = PS_CLASS_TBL.CLASS_NBR AND PS_CLASS_TBL.CATALOG_NBR LIKE ' 35%')) THEN 'F' ELSE {GRAD SUSTAINER} IF GRAD_SUSTAINER IN ('DS', 'MT', 'MN') THEN 'F'' ELSE {GRAD SUSTAINER} IF GRAD_SUSTAINER IN ('DS', 'MT', 'MN') THEN 'F'' ELSE iF ACAD_CAREER='GRAD' and CUR_REGISTERED_HOURS < 9 AND CUR_REGISTERED_HOURS > 0 THEN 'P' ELSE IF ACAD_CAREER='GRAD' and CUR_REGISTERED_HOURS >= 9 THEN 'F' ELSE IF ACAD_CAREER='GRAD' and CUR_REGISTERED_HOURS >= 12 THEN 'F' ELSE IF ACAD_CAREER='GRAD' and CUR_REGISTERED_HOURS >= 12 THEN 'F' ELSE IF ACAD_CAREER='GRAD' and CUR_REGISTERED_HOURS >= 12 THEN 'F' ELSE IF ACAD_CAREER='UGRD' and CUR_REGISTERED_HOURS >= 12 THEN 'F' [UNITERSUMMER ALL OTHERS}] ELSE IF SUBSTR(STRM,4,1) IN ('1', 'S') AND CUR_REGISTERED_HOURS > 0 THEN 'P' ELSE IF ACAD_CAREER='UGRD' and CUR_REGISTERED_HOURS >= 12 THEN 'F' [UNITERSUMMER ALL OTHERS] ELSE IF SUBSTR(STRM,4,1) IN ('1', 'S') AND CUR_REGISTERED_HOURS > 0 THEN 'F' ELSE IF ACAD_CAREER='UGRD' and CUR_REGISTERED_HOURS >= 12 THEN 'F' [UNITERSUMMER ALL OTHERS] ELSE IF SUBSTR(STRM,4,1) IN ('1', S') AND CUR_REGISTERED_HOURS > 0 THEN 'F' ELSE 'T I' IF ACAD_CAREER='FI_CAREER (SEE TECHNICAL NOTES); 0 OTHERWISE </pre>
Do. D_onalita_ooonita			HOLD_ORIGER - FR_OREER (OLD IDOLIGORE HOLD), VOTER WIDE


HIGH_SAT_READING HIGH_SAT_MATH HIGH_SAT_WRITING HIGH_SAT_TOTAL ATHL_CUR_PARTICIPANT1 ATHL_NCAA_ELIGIBLE1 ATLH_SPORT_CODE1	PS_STDNT_TEST_COMP PS_STDNT_TEST_COMP PS_STDNT_TEST_COMP PS_STDNT_TEST_COMP PS_ATHL_PART_STAT	SCORE SCORE SCORE SCORE	EMPLID, TEST_COMPONENT=VERB and TEST_ID=HIGHSAT EMPLID, TEST_COMPONENT=MATH and TEST_ID=HIGHSAT EMPLID, TEST_COMPONENT=WRTG and TEST_ID=HIGHSAT
HIGH SAT_WRITING HIGH SAT_TOTAL ATHL_CUR_PARTICIPANT1 ATHL_NCAA_ELIGIBLE1	PS_STDNT_TEST_COMP PS_STDNT_TEST_COMP	SCORE SCORE	EMPLID, TEST_COMPONENT=WRTG and TEST_ID=HIGHSAT
HIGH SAT_TOTAL ATHL_CUR_PARTICIPANT1 ATHL_NCAA_ELIGIBLE1	PS STDNT TEST COMP	SCORE	
ATHL_CUR_PARTICIPANT1 ATHL_NCAA_ELIGIBLE1			EMPLID, TEST COMPONENT=TOTAL and TEST ID=HIGHSAT
ATHL_NCAA_ELIGIBLE1	PS_AIRL_PARI_SIAI	CUR PARTICIPANT	EMPLID, first sport (sorted alphabetically), max(PS_ATHL_PART_STAT.EFFDT)
		COK_PARTICIPANT	EMPLID, hist sport (sorred aphabencally), max(PS_ATHL_PART_STAT.EFFDT)
ATLH SPORT CODE1	PS_ATHL_PART_STAT	NCAA_ELIGIBLE	EMPLID, first sport (sorted alphabetically), max(PS_ATHL_PART_STAT.EFFDT)
	PS_ATHL_PART_STAT	SPORT	EMPLID, first sport (sorted alphabetically), max(PS_ATHL_PART_STAT.EFFDT)
ATHL_PARTIC_CODE1	PS_ATHL_PART_STAT	ATHL_PARTIC_CD	EMPLID, first sport (sorted alphabetically), max(PS_ATHL_PART_STAT.EFFDT)
ATHL_CUR_PARTICIPANT2	PS_ATHL_PART_STAT	CUR_PARTICIPANT	EMPLID, second sport (sorted alphabetically), max(PS_ATHL_PART_STAT.EFFDT)
ATHL_NCAA_ELIGIBLE2	PS_ATHL_PART_STAT	NCAA_ELIGIBLE	EMPLID, second sport (sorted alphabetically), max(PS_ATHL_PART_STAT.EFFDT)
ATLH_SPORT_CODE2	PS_ATHL_PART_STAT	SPORT	EMPLID, second sport (sorted alphabetically), max(PS_ATHL_PART_STAT.EFFDT)
ATHL_PARTIC_CODE2	PS_ATHL_PART_STAT	ATHL_PARTIC_CD	EMPLID, second sport (sorted alphabetically), max(PS_ATHL_PART_STAT.EFFDT)
GRAD_SUSTAINER			IF ACAD_CAREER <> 'GRAD' THEN 'N ELSE IF EXISTS (SELECT FROM PS_STDNT_ENRL for this EMPLID, STRM, ACAD_CAREER WHERE INSTITUTION = 'UODOI' AND PS_STDNT_ENRL_STATUS = 'E' AND PS_STDNT_ENRL.CLASS_NBR = PS_CLASS_TBL.CLASS_NBR AND PS_CLASS_TBL.CLASS_SECTION = '011' (GNORE PS_CLASS_TBL KEYS: CRSE_ID,CRSE_OFFER_NBR, STRM,SESSION_CODE,CLASS_SECTION)) THEN 'DS' ELSE IF EXISTS (SELECT FROM PS_STDNT_ENRL for this EMPLID, STRM, ACAD_CAREER WHERE INSTITUTION = 'UODOI' AND PS_STDNT_ENRL_STATUS = 'E' AND PS_STDNT_ENRL.CLASS_NBR = PS_CLASS_TBL.CLASS_NBR AND PS_CLASS_TBL.SUBJECT = 'UNIV' AND PS_CLASS_TBL.CATALOG_NBR = ' 899' ANI PS_CLASS_TBL.SUBJECT = 'UNIV' AND PS_CLASS_TBL.CATALOG_NBR = ' 899' ANI PS_CLASS_TBL.CLASS_SECTION = '011' (GNORE PS_CLASS_TBL KEYS: CRSE_ID,CRSE_OFFER_NBR, STRM,SESSION_COD) THEN 'MT ELSE IF EXISTS (SELECT FROM PS_STDNT_ENRL for this EMPLID, STRM, ACAD_CAREER WHERE INSTITUTION = 'UODOI' AND PS_CLASS_TBL.CATALOG_NBR = ' 899' ANI PS_CLASS_TBL.CLASS_SECTION = '011' (GNORE PS_CLASS_TBL KEYS: CRSE_ID,CRSE_OFFER_NBR, STRM,SESSION_COD) THEN 'MT ELSE IF EXISTS (SELECT FROM PS_STDNT_ENRL for this EMPLID, STRM, ACAD_CAREER WHERE INSTITUTION = 'UODOI' AND PS_STDNT_ENRL_STATUS = 'E' AND PS_STDNT_ENRL.CLASS_NBR = PS_CLASS_TBL.CLASS_NBR AND PS_CLASS_TBL.SUBJECT = 'UNIV' AND PS_CLASS_TBL.CATALOG_NBR = ' 895' ANI PS_CLASS_TBL.SUBJECT = 'UNIV' AND PS_CLASS_TBL.CATALOG_NBR = ' 895' ANI PS_CLASS_TBL.CLASS_SECTION = '011' (GNORE PS_CLASS_TEL.CLASS_SECTION = '011' (GNORE PS_CLASS_TEL.KEYS: CRSE_ID,CRSE_OFFER_NBR, STRM,SESSION_COD) THEN 'MN ELSE 'N'

Sprint breakdown


- Demo to Product Owner
- What is not complete, becomes Tech Debt to start next sprint
- Retrospective
 - What worked
 - ➢ What didn't
 - ➢ How good were our estimates?







PHYTORION



Sprint



Additional Sprints

- Sprint 0: Project start, infrastructure
- Architecture: Make sure you see the big picture
- Spike Sprint: Team focuses on difficult problem
- Reclamation: Fix shortcuts
- ➢ Go Live



Potential Difficulties

- Schools focus on Full Data Warehouse, not pieces
- Funding is justified for full project only
- People prefer big, detailed plans in order to provide some certainty
- Schools have many Product Owners with different or competing definitions ex: Deferrals
- It's not always easy to get people's full attention



Advantages

- No Shelf life for requirements
- People solve problems together: Dimension not needed
- Estimation improvement: What if you were building 20 metrics and you discovered they were much more complex
- Users understand what they are getting and *find* ways to be involved even in testing!
- Early successes that evangelize solution





You can learn more...

- Ralph Hughes: Agile Data Warehousing
- Ken Collier: Agile Analytics
- TDWI Conference classes





Questions & Answers



Next Session & To Contact Us

Wednesday @10:30 AM, Hermitage D

Session #30768:

Campus Solutions, HCM, Finance & K-12

Data Warehouse/BI Demo

Yiorgos Marathias

President, Phytorion 773-255-3861 yiorgos.marathias@phytorion.com



